

SUPER ERECTA SHELF® MW UTILITY CARTS — TWO-SHELF MODELS

- Attractive and thoroughly practical, these carts are offered as complete units, shipped knocked down, with all components packaged in a compact carton.
- Super Erecta Shelf[®] Construction makes units easy to assemble with absolute rigidity, and makes relocation of shelves quick and simple.
- Choice of 15 Two-Shelf Models: Three different shelf combinations, each in five to ten different models. **MW100 Series** Two stainless steel flat shelves. Five sizes. Stainless steel handles.

MW600 Series — Two wire shelves, chrome or stainless steel. Five sizes; ten models. Handle material matches shelves.

- Wire Shelves: Bright, modern, sanitary appearance. Open construction minimizes dust accumulation, maximizes visibility and air circulation.
- **Solid Shelves:** Ideal for transporting materials that require an expanse of flat surface. Raised ship's edge permits fast clean-up in case of liquid spills. Double thickness of 18-gauge steel at edges also gives rigidity and high strength.
- **Casters:** Standard-duty. 4LD 4" (102mm) diameter casters on carts 15¹/₂" (393mm) and 18" (457mm) wide; 5LD 5" (127mm) diameter casters on carts 21" (533mm) and 24" (610mm) wide. See sheet #11.20 for additional information on casters.
- Donut Bumpers
- One-Piece Handle
- **Height:** 38" (965mm) floor to handle with 4" (102mm) casters; 39" (990mm) floor to handle with 5" (127mm) casters.
- **Replaceable Parts:** If any part of any cart is damaged by use, replacement parts are readily available and easily installed.
- Accessories: A wide variety are available to increase usefulness. See Catalog Sheets 10.04 and 10.05 for wire shelf accessories, 10.25 for solid shelf accessories.












MW UTILITY CARTS — TWO-SHELF MODELS



MW Carts (Two-Shelf Models)



Dimensions

	W	Width		qth	Approx. Pkd. Wt.				Casters	
Cat. No.	(in.)	(mm)	(in.)	(mm)	(lbs.) (kg)	Shelves	Shelf Material	Handles	(in.)	(mm)
MW103	18	457	24	610	40 18.1	2-Solid	Stainless Steel	Stainless Steel	4	102
MW104	18	457	30	760	45 20.4	2-Solid	Stainless Steel	Stainless Steel	4	102
MW105	18	457	36	914	48 21.8	2-Solid	Stainless Steel	Stainless Steel	4	102
MW106	21	533	36	914	54 24.5	2-Solid	Stainless Steel	Stainless Steel	5	127
MW108	24	610	36	914	60 27.2	2-Solid	Stainless Steel	Stainless Steel	5	127
MW601	18	457	24	610	34 15.4	2-Wire	Chrome	Chrome	4	102
MW602	18	457	24	610	34 15.4	2-Wire	Stainless Steel	Stainless Steel	4	102
MW603	18	457	30	760	37 16.8	2-Wire	Chrome	Chrome	4	102
MW604	18	457	30	760	37 16.8	2-Wire	Stainless Steel	Stainless Steel	4	102
MW605	18	457	36	914	40 18.1	2-Wire	Chrome	Chrome	4	102
MW606	18	457	36	914	39 17.7	2-Wire	Stainless Steel	Stainless Steel	4	102
MW607	21	533	36	914	44 20.0	2-Wire	Chrome	Chrome	5	127
MW608	21	533	36	914	44 20.0	2-Wire	Stainless Steel	Stainless Steel	5	127
MW611	24	610	36	914	47 21.3	2-Wire	Chrome	Chrome	5	127
MW612	24	610	36	914	46 20.9	2-Wire	Stainless Steel	Stainless Steel	5	127

Load Rating: 375 lbs. (170kg) on units with 4LD and 5LD casters.







SUPER ERECTA SHELF® MW UTILITY CARTS —

Three-Shelf Models

- Attractive and thoroughly practical, these carts are offered as complete units, shipped knocked down, with all components packaged in a compact carton.
- Super Erecta Shelf[®] Construction makes units easy to assemble with absolute rigidity, and makes relocation of shelves quick and simple.
- Choice of 20 Three-Shelf Models:

MW200 Series — Three stainless steel flat shelves. Five sizes. Stainless steel handles.

MW400 Series — Two chrome wire shelves and one stainless steel flat shelf. Five sizes. Chrome handles. Solid shelf can be positioned top, middle or bottom.

MW700 Series — Three wire shelves, choice of chrome or stainless steel. Five sizes; ten models. Handle material matches shelves.

- Wire Shelves: Bright, modern, sanitary appearance. Open construction minimizes dust accumulation, maximizes visibility and air circulation.
- **Solid Shelves:** Ideal for transporting materials that require an expanse of flat surface. Raised ship's edge permits fast clean-up in case of liquid spills. Double thickness of 18-gauge steel at edges also gives rigidity and high strength.
- Casters: Standard-duty. 4LD 4" (102mm) diameter casters on carts 18" (457mm) wide; 5LD 5" (127mm) diameter casters on carts 21" (533mm) and 24" (610mm) wide. See sheet #11.20 for additional information on casters.
- Donut Bumpers
- One-Piece Handle
- Height: 38" (965mm) floor to handle with 4" (102mm) casters; 39" (991mm) floor to handle with 5" (127mm) casters.
- **Replaceable Parts:** If any part of any cart is damaged by use, replacement parts are readily available and easily installed.
- Accessories: A wide variety are available to increase usefulness. See Catalog Sheets 10.04 and 10.05 for wire shelf accessories, 10.25 for solid shelf accessories.












SUPER ERECTA SHELF® MW UTILITY CARTS — Three-Shelf Models



MW Carts (Three-Shelf Models)



Dimensions

	M	Width				prox. d. Wt.				Casters	
Cat. No.	(in.)	(mm)	Len (in.)	(mm)	(lbs.)	(kg)	Shelves	Shelf Material	Handles	(in.)	(mm)
MW203	18	457	24	610	48	21.8	3-Solid	Stainless Steel	Stainless Steel	4	102
MW204	18	457	30	760	53	24.0	3-Solid	Stainless Steel	Stainless Steel	4	102
MW205	18	457	36	914	59	26.8	3-Solid	Stainless Steel	Stainless Steel	4	102
MW206	21	533	36	914	66	29.9	3-Solid	Stainless Steel	Stainless Steel	5	127
MW208	24	610	36	914	74*	33.6	3-Solid	Stainless Steel	Stainless Steel	5	127
MW401	18	455	24	610	43	19.5	1-Solid	Stainless Steel	Chrome	4	102
							2-Wire	Chrome			
MW402	18	457	30	760	47	21.3	1-Solid	Stainless Steel	Chrome	4	102
							2-Wire	Chrome			
MW403	18	457	36	914	52	23.6	1-Solid	Stainless Steel	Chrome	4	102
							2-Wire	Chrome			
MW404	21	533	36	914	59	26.8	1-Solid	Stainless Steel	Chrome	5	127
							2-Wire	Chrome			
MW406	24	610	36	914	65	29.5	1-Solid	Stainless Steel	Chrome	5	127
MW701	18	457	24	610	39	17.6	3-Wire	Chrome	Chrome	4	102
MW702	18	457	24	610	38	17.2	3-Wire	Stainless Steel	Stainless Steel	4	102
MW703	18	457	30	760	43	19.5	3-Wire	Chrome	Chrome	4	102
MW704	18	457	30	760	42	19.1	3-Wire	Stainless Steel	Stainless Steel	4	102
MW705	18	457	36	914	47	21.3	3-Wire	Chrome	Chrome	4	102
MW706	18	457	36	914	45	20.4	3-Wire	Stainless Steel	Stainless Steel	4	102
MW707	21	533	36	914	50	22.7	3-Wire	Chrome	Chrome	5	127
MW708	21	533	36	914	50	22.7	3-Wire	Stainless Steel	Stainless Steel	5	127
MW711	24	610	36	914	60	27.2	3-Wire	Chrome	Chrome	5	127
MW712	24	610	36	914	57	25.9	3-Wire	Stainless Steel	Stainless Steel	5	127
*Connot bo obin	un a d LIDC										

*Cannot be shipped UPS.

